

	Hits	Search Text	DBs
1	6221	713/159,172-174,185,200;705/41,65-69,257;235/380;257/679;902/26.ccls.	US-PGPUB; USPAT
2	510	713/159,172-174,185,200;705/41,65-69,257;235/380;257/679;902/26.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3))	US-PGPUB; USPAT
3	30	(713/159,172-174,185,200;705/41,65-69,257;235/380;257/679;902/26.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3))) and template	US-PGPUB; USPAT
4	49	713/159,172-174,185,200;705/41,65-69,257;235/380;257/679;902/26.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (template or generic))	US-PGPUB; USPAT
5	36	(713/159,172-174,185,200;705/41,65-69,257;235/380;257/679;902/26.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (template or generic))) not ((713/159,172-174,185,200;705/41,65-69,257;235/380;257/679;902/26.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3))) and template)	US-PGPUB; USPAT
6	9	"6402028".URPN.	USPAT
7	6	("4866259" "5012074" "5442165" "5578808" "5883452" "5889941").PN.	USPAT
8	9	"5684742".URPN.	USPAT
9	2	("4648076" "5511023").PN.	USPAT
10	50	"4874935".URPN.	USPAT

	Hits	Search Text	DBs
11	25	("3971916" "4001550" "4007355" "4092524" "4102493" "4442345" "4471216" "4498000" "4544833" "4568824" "4572946" "4575621" "4578573" "4580041" "4590365" "4591974" "4650975" "4650981" "4654512" "4667088" "4683372" "4697073" "4701601" "4709137" "4736094") .PN.	USPAT
12	94	(713/159,172-174,185,200;705/41,65- 69,257;235/380;257/679;902/26.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3))) and (template or model)	US-PGPUB; USPAT
13	14	(713/159,172-174,185,200;705/41,65- 69,257;235/380;257/679;902/26.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3))) and ((smart adj card) near4 (template or model))	US-PGPUB; USPAT
14	32	713/159,172-174,185,200;705/41,65- 69,257;235/380;257/679;902/26.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) with ((integrat\$3) near3 (produc\$4 or manufactur\$3)))	US-PGPUB; USPAT
15	88	(((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3)) and (card near4 (template or model))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	153	(((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3)) and (card near4 (template or model or architecture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
17	65	(((((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3)) and (card near4 (template or model or architecture))) not (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3)) and (card near4 (template or model)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	14	(713/159,172-174,185,200;705/41,65-69,257;235/380;257/679;902/26.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3))) and ((smart adj card) near4 (template or model or prototype))	US-PGPUB; USPAT
19	26	(computer near4 (manufactur\$3 or produc\$4)) same (component near3 (template or prototype))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	32	visa adj international.as. and (smart adj card)	US-PGPUB; USPAT
21	100	235/375,379.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3))	US-PGPUB; USPAT
22	16	705/64.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3))	US-PGPUB; USPAT
23	88	"smart card" and (ood or "object oriented" or "object-oriented" or ooa) and class and instantiat\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
24	20	"smart card" and multos	USPAT; EPO; JPO; DERWENT; IBM_TDB
25	56	"smart card" and ("task definition" or "task object" or "process definition" or "process object")	USPAT; EPO; JPO; DERWENT; IBM_TDB
26	13	("smart card" and (ood or "object oriented" or "object-oriented" or ooa) and class and instantiat\$) and ("process definition" or "process object")	USPAT; EPO; JPO; DERWENT; IBM_TDB
27	8	"process definition" same "process object"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
28	12	"process definition" and workflow and "smart card"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	0	"process definition" and ("smart card" near3 (produc\$4 or manufactur\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	0	workflow with ("smart card" near3 (produc\$4 or manufactur\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	14	workflow and ("smart card" near3 (produc\$4 or manufactur\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	0	717/107-108,116.ccls. and ("smart card" near3 (produc\$4 or manufactur\$3))	US-PGPUB; USPAT
33	14	717/107-108,116.ccls. and "smart card"	US-PGPUB; USPAT
34	16	("smart card" near2 server) with manag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	43	"smart card" same ((key or certificate) near2 server)	USPAT
36	12	"smart card" same (certificate near2 server)	USPAT
37	99	"smart card" and (certificate near2 server)	USPAT
38	6	("4218738" "5191611" "6061790" "6085320" "6105131" "6128738").PN.	USPAT
39	7	"smart card" same (certificate near2 (load\$3 or install\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	38	"connection class" and (object\$1oriented or object adj oriented)	USPAT
41	106	("smart card" near3 (produc\$5 or manufactur\$3)) and ("smart card" near3 manag\$5) and server and database and ("object\$1oriented or "object oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	66	((("smart card" near3 (produc\$5 or manufactur\$3))) and ("smart card" near3 manag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
43	10	((("smart card" near3 (produc\$5 or manufactur\$3))) and ("smart card" near3 manag\$5)) and ("object\$loriented or "object oriented")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	52	((("smart card" near3 (produc\$5 or manufactur\$3))) and (object\$loriented or "object oriented")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	1	("5889941").PN.	USPAT; USOCR
46	184	((repository with database) and (object\$loriented or "object oriented")) and (class near5 (repository or database))	USPAT
47	20	"smart card" with (database near3 server)	USPAT
48	392	(server with database) same (object\$loriented or "object oriented")	USPAT
49	6	((server with database) same (object\$loriented or "object oriented")) and "smart card"	USPAT
50	31	(713/159,172-174,185,200;705/41,65-69,257;235/380;257/679;902/26.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3))) and template	US-PGPUB; USPAT
51	32	(713/159,172-174,185,200;705/41,65-69,257;235/380;257/679;902/26;719/315-316.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3))) and template	US-PGPUB; USPAT
52	1	S75 not S74	US-PGPUB; USPAT
53	54	713/159,172-174,185,200;705/41,65-69,257;235/380;257/679;902/26;719/315-316.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (template or generic))	US-PGPUB; USPAT
54	12	"6402028".URPN.	USPAT
55	6	("4866259" "5012074" "5442165" "5578808" "5883452" "5889941").PN.	USPAT
56	2	("4648076" "5511023").PN.	USPAT

	Hits	Search Text	DBs
57	25	("3971916" "4001550" "4007355" "4092524" "4102493" "4442345" "4471216" "4498000" "4544833" "4568824" "4572946" "4575621" "4578573" "4580041" "4590365" "4591974" "4650975" "4650981" "4654512" "4667088" "4683372" "4697073" "4701601" "4709137" "4736094") .PN.	USPAT
58	14	(713/159,172-174,185,200;705/41,65- 69,257;235/380;257/679;902/26.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3))) and ((smart adj card) near4 (template or model))	US-PGPUB; USPAT
59	0	(719/315-316.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3))) and ((smart adj card) near4 (template or model))	US-PGPUB; USPAT
60	37	713/159,172-174,185,200;705/41,65- 69,257;235/380;257/679;902/26.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) with ((integrat\$3) near3 (produc\$4 or manufactur\$3)))	US-PGPUB; USPAT
61	0	719/315-316.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) with ((integrat\$3) near3 (produc\$4 or manufactur\$3)))	US-PGPUB; USPAT
62	98	((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3)) and (card near4 (template or model))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	75	((((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3)) and (card near4 (template or model or architecture))) not (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3)) and (card near4 (template or model)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
64	14	(713/159,172-174,185,200;705/41,65-69,257;235/380;257/679;902/26.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3))) and ((smart adj card) near4 (template or model or prototype))	US-PGPUB; USPAT
65	0	(719/315-316.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3))) and ((smart adj card) near4 (template or model or prototype))	US-PGPUB; USPAT
66	30	(computer near4 (manufactur\$3 or produc\$4)) same (component near3 (template or prototype))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	37	visa adj international.as. and (smart adj card)	US-PGPUB; USPAT
68	116	235/375,379.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3))	US-PGPUB; USPAT
69	18	705/64.ccls. and (((smart adj card) or (ic adj card) or token or (data adj carrier)) near4 (produc\$4 or manufactur\$3))	US-PGPUB; USPAT
70	97	"smart card" and (ood or "object oriented" or "object-oriented" or ooa) and class and instantiat\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
71	23	"smart card" and multos	USPAT; EPO; JPO; DERWENT; IBM_TDB
72	59	"smart card" and ("task definition" or "task object" or "process definition" or "process object")	USPAT; EPO; JPO; DERWENT; IBM_TDB
73	20	("smart card" and (ood or "object oriented" or "object-oriented" or ooa) and class and instantiat\$) and ("process definition" or "process object")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	8	"process definition" same "process object"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	14	"process definition" and workflow and "smart card"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
76	0	"process definition" and ("smart card" near3 (produc\$4 or manufactur\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	0	"work flow" with ("smart card" near3 (produc\$4 or manufactur\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	0	717/107-108,116.ccls. and ("smart card" near3 (produc\$4 or manufactur\$3))	US-PGPUB; USPAT
79	17	717/107-108,116.ccls. and "smart card"	US-PGPUB; USPAT
80	18	("smart card" near2 server) with manag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	28	"smart card" same (certificate near2 server)	US-PGPUB; USPAT
82	65	"connection class" and (object\$1oriented or object adj oriented)	US-PGPUB; USPAT
83	56	("smart card" near3 (produc\$5 or manufactur\$3)) and (object\$1oriented or "object oriented")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	193	((repository with database) and (object\$1oriented or "object oriented")) and (class near5 (repository or database))	USPAT
85	8	((server with database) same (object\$1oriented or "object oriented")) and "smart card"	USPAT